



**FLOOR PLAN**  
1/4" = 1'-0"

**ENTRANCE ELEVATION**  
1/4" = 1'-0"

**BEAM DETAIL**  
1 1/2" = 1'-0"

**BEAM BEARING DETAIL**  
1 1/2" = 1'-0"

**THICKENED SLAB**  
3/4" = 1'-0"

**BEAM PROFILE**  
1/4" = 1'-0"

- NOTES**
- RETAIN EXG DOOR. ADD INTUMESCENT FIRE/SMOKE SEALS (FEMKO EXPANDABLE GRAPHITE STRIP #588 OR #582000) COPIER REQUIRES 2'-11" x 72" L x 52" H
  - 10'x10' "BOXED" COLUMN FURRING AROUND NEW STEEL COLUMN
  - NEW T58x3x1/4" STEEL COLUMN CENTERED IN NEW STUD WALL
  - NEW W6x9 BEAM W/ DOUBLE F.T. WOOD BEARINGS PLATE @ TOP
  - FURR EXG WALL AS REG'D FOR NEW PLUMBING
  - 4"W x 8" L x 1/2" BEAM BEARINGS PLATE W/ (2) ANCHOR STUDS
  - 24"x24"x12" THICKENED SLAB FOOTINGS W/ (3) #4'S E/W BOTTOM
  - FILL CELL SOLID W/ CONG & (1) #5 VERT (INCL FTS. DONEL)
  - 8" REINFORCED CMU WALLS W/ HUR EVERY OTHER COURSE FILL ALL CELLS BELOW GRADE/SOLID W/ CONG.
  - REWORK EXG FAYING TO DRAIN AWAY FROM BLDG
  - PROVIDE MEMBRANE WATERPROOFING W/ PROTECTION BOARD AT EXTERIOR FACE OF ALL CMU WALLS BELOW GRADE OFFSET WALL 1" AT THIS LOCATION
  - "RFX" INDICATES RECESSED WALL FIRE EXTINGUISHER CASE MOUNTED 42" A.F.F. AT HANDLE MODEL #525F26 BY J.L. INDUSTRIES (OR APPROVED EQUAL) WITH FIRE EXTINGUISHER LETTERS IN RED, CLEAR ACRYLIC BUBBLE COVER AND BRUSHED ALUMINUM FINISH GAGE PROVIDE UL RATED CABINETS AS REQUIRED IN ALL FIRE RATED WALLS PLACE 10 LB. ABC DRY CHEMICAL FIRE EXTINGUISHER IN CASE AND IF SURFACE MTD EXPOSED EXTINGUISHER (SPX), PROVIDE BRACKETS AS REQUIRED.

**DOOR TYPE SCHEDULE**

01	3'-0", PRE-FIN ALUM W/ FULL GLASS
02	REMOVE EXISTING DOOR
03	2'-6", SOLID CORE WOOD
04	2'-4", SOLID CORE WOOD
05	3'-0", TO MATCH EXISTING OFFICE DOORS IN CORRIDOR 10B
06	3'-0", TO MATCH EXISTING OFFICE DOORS IN CORRIDOR 10B
07	3'-0", TO MATCH EXISTING OFFICE DOORS IN CORRIDOR 10B
08	3'-0", FLUSH HOLLOW METAL
09	3'-0", FLUSH HOLLOW METAL
10	2'-6", FLUSH HOLLOW METAL
11	3'-0", FLUSH HOLLOW METAL
12	3'-0", SOLID CORE WOOD

**SYMBOLS LEGEND**

—+—	INDICATES CENTERLINE DIMENSIONS
—ELEV—	FLOOR ELEVATIONS (ASSUMED)
(O)	NEW DOOR TYPE NUMBER
(X)	EXISTING DOOR TYPE NUMBER
---	EXISTING WALLS
---	NEW STUD PARTITIONS
---	NEW STUD PARTITIONS W/ JUND T ATTS
---	8" CMU PARTITION WALLS

**GIBSON & ASSOCIATES**  
ARCHITECTS

**FLOOR PLAN**  
**NOLEN PRODUCTS RENOVATION**  
912 FORSYTHE DRIVE  
KNOXVILLE, TENNESSEE

JRA: DCG  
SHE: FCC  
JOB: GA9922  
SCA: 1'-0"  
DA: 4-AUG-99  
SP

**1**